

Section 1-Chemical Product and Company Identification
--

Product Name: Jumpax

Manufacturer Information:

Unifloor underlay systems BV

Munsterstraat 24

7418 EV DEVENTER

The Netherlands

Telephone: 31-0-570-855533

Emergency Information: 31-0-570-855533

Internet address: <http://www.unifloor.nl>

Date Prepared: 4/6/2007

Section 2-Composition/ Information on Ingredients
--

CAS #	Hazardous Component	OSHA PEL	ACGIH TLV	OTHER LIMITS	%
8006-64-2	Terpentine	100 ppm TWA	100 ppm TWA		

Section 3-Physical/Chemical Properties

Physical State	Solid	Solubility in water	N/A
Boiling point	N/A	Specific Gravity (H ₂ O=1)	
Vapor Pressure (mm Hg.)	N/A	Melting Point	
Freezing Point	N/A	PH	N/A
Percent Volatile	N/A	VOC	unknown
Vapor Density (AIR=1)	N/A	Evaporation rate	N/A
Appearance and odor: This solid is natural/silver in color and has no noticeable odor.			

Section 4-Fire Fighting Measures

Flash Point: N/A

Method Used: Normal

Upper Flammability Limit (UFL): N/A **Lower Flammability Limit (LFL):** N/A

Auto Ignition: unknown

Flammability classification: Class B

Rate of Burning:

General Fire Hazards: This is compressed medium density fiberboard and is subject to typical wood fire hazards.

Extinguishing Media: WATER, DRY CHEMICAL

Fire Fighting Equipment/Instructions: No special procedures are expected to be necessary for this product.

Section 5-Health Hazard Data

Summary: there are no anticipated health effects from the use of this product.

Primary routes of entry: Ingestion

Target Organs:

Inhalation:

Skin:

Absorption:

Ingestion:

Eyes:

Medical Conditions aggravated by exposure: none known

Health Hazards (Acute & Chronic): unknown

Section 6-First Aid Measures

First Aid:

Inhalation-

Skin-

Ingestion-

Eyes-

Notes to Physician:

Section 7-Accidental release measures

Containment Procedures:

Store product in containers or on pallets.

Clean-Up Procedures:

Pickup or sweep large pieces, vacuum smaller pieces

Section 8- Handling & Storage

Handling Procedures: no extra precautions are necessary when handling this product.

Storage Procedures: store in a temperature above 41°F, do not stack more than 2 pallets high.

Section 9-Exposure Controls/Personal Protection

Ventilation: no additional ventilation is necessary.

Personal Protective Equipment:

Eyes/Face- Safety goggles when cutting product.

Skin- safety gloves when cutting or handling product

Respiratory- no additional safety equipment required

General- no unusual safety equipment is required. This is a wood based product and common safety measures should be used when cutting this product.

Section 10-Chemical Stability & Reactivity Information

Stability	Unstable		Conditions to Avoid
	Stable	X	

Incompatibility (Materials to Avoid)

none

Hazardous Decomposition or Byproducts
unknown

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	x	

Comments:

Section 11-Disposal Considerations

Disposal Method: dispose of in accordance with all local, state, and federal regulations.

Comments:

Section 12-Transportation Information

DOT Information:

Section 13-Other Information