


Silver Papier
 538

Pearl
 481

Eggshell
 144

Buff
 460

Bone
 748

Coin
 794

Cement Mix
 750

Quartz
 380

Vanilla Neutral
 403

Wheat
 130

Opal
 394

Silver Neutral
 406

Desert Sand
 758

Straw
 747

Light Moss
 754

Grey Mix
 238

Steel Grey
 471

Moleskin
 796

Sunshine
 797

Earth
 792

Flannel
 795

Medium Grey
 298

Apricot Neutral
 404

Terra
 751

Dune
 749

Black
 408

Chocolate
 793

Pumice
 423

Cinnabar
 422

Leaf
 755



Stream
757



Eucalyptus
468



Blue Neutral
401



Blue Papier
539



Cherry Neutral
400



Verte Papier
561



Lake
756



Lavender Neutral
405



Crystal Blue
175



Rose Quartz
390



Green Neutral
402



Ultramarine
470



Amethyst
424



Bayberry
486



Bronze
545



Aquamarine
381



Wedgewood
150



Lilac
752



Cobalt
420



Sienna
475



Chrome Green
549



Baltic
153



Violet
753



Red
799



Deep Burgundy
556



Blue Spruce
467



Blue Plum
553



Iris
798



Claret Accent
418



www.soundseal.com

50 Almgren Drive
Agawam, MA 01001

Tel: 800-569-1294
Fax: 413-789-4444

FR701® 2100

Panel

Specifications

Content
100% post-consumer recycled polyester

Weight
16.0 ± 0.5 oz./lin. yd.


Width
66" min. useable


Repeat
none


Cleaning Code


W-S

Performance

 **Colorfastness to Light (AATCC 16 Option 3)**
Grade 4 min. at 40 hours

 **Colorfastness to Crocking (AATCC 8)**
Grade 4 min. dry & Grade 3 min. wet

 **Breaking Strength (ASTM D5034)**
150 lbf min. warp and fill

 ***Flammability (ASTM E84)**
Class I or A

Miscellaneous

Colors may vary slightly between dye lots.
This is a non-directional fabric.
Application testing of this product is recommended.

Visit www.guilfordofmaine.com
or call 800 544 0200 to order samples.



Terratex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life. (terratex.com)



CO₂ emissions from 100% of the electricity used by the manufacturer to produce this product have been measured and offset in accordance with The CarbonNeutral Protocol.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized component fabric is not required on approved panels from participating manufacturers.

*ACT® registered certification marks.