WOODTRENDS
BY SOUND SEAL

LINEAR
PRODUCT DATA SHEET

With its parallel straight lines, WoodTrends Linear for walls and ceilings creates a clean and continuous aesthetic look while achieving NRC values as high as .90. The system is built on timeless real wood veneer cores finished with our clear matte lacquer. Choose either planks or plank cassette assemblies.

APPLICATIONS

- Commercial offices
- Government buildings
- Hospitality venues
- Educational facilities

SIZING

- Plank widths available from 2-1/2" up to 12"
- Plank lengths available up to 120" (nominal)
- Plank Thickness: 3/4" (nominal)
- Reveal Widths: Hairline, 3/16", 3/8", 5/8", or 3/4"
- Weight: 2.45 lbs per sq foot (approx. / average)

FIRE RATING

- Class A fire rated, CARB2

LEED INFO

- CARB2 (standard) California Phase 2 Compliant
- NAUF core (available upon request)
- FSC veneer (available upon request)
- Credits for MR 4.1, MR 4.2, MR 7, EQ 4.4
- No added Formaldehyde

MOUNTING

- T-Grid - Pivot Clip
- Wall / Direct - Screw Clip

WARRANTY

All WoodTrends products come standard with a full one-year warranty for manufacturing defects and dimensional stability.

ACOUSTICAL PERFORMANCE

- Planks can be perforated for even higher NRC ratings
- Acoustical textile at reveal provides acoustical performance
- Reveal edge or flush edge detail

Different acoustical materials including our black fleece backer or **Sound Quality Black Theater Board** can be used above or behind the planks to enhance acoustical results.

If you would like an acoustic material added to your quote, please let us know upon request.

FEATURES

- Excellent acoustical performance
- Striking aesthetics
- Easy to install
- Wide variety of finishes and reveals

FINISHES

- Standard and custom veneers available
- Clear matte lacquer is the standard finish
- See veneer options:

soundseal.com/linear

WOODTRENDS
BY SOUND SEAL

LINEAR
CEILING PLANKS

- Mounting Methods:
  - T-Grid ceiling mount with pivot clips
  - Direct mount with screw clips
- Plank widths available 2-1/2" up to 12"
- Plank lengths available up to 120" nominal
- Reveal spacing: Hairline, 3/16", 3/8", 5/8", or 3/4"
- NRC values as high as .90 dependent upon perforation selection where design dictates, non-perforated, reflective linear planks are also available

OPTIONS:

- Acoustical fleece (black) or **Sound Quality Theater Board** can be added upon request.



CEILING MOUNT WITH PIVOT CLIP ON T-GRID (TYPICAL)



DETAIL 1



CEILING MOUNT WITH SCREW CLIP



DETAIL 2

WOODTRENDS
BY SOUND SEAL

LINEAR
WALL PLANKS

- Wall mount with screw clips
- Plank widths available 2-1/2" up to 12"
- Plank lengths available up to 120" nominal
- Reveal spacing: Hairline, 3/16", 3/8", 5/8", or 3/4"
- NRC values as high as .90 dependent upon perforation selection where design dictates, non-perforated, reflective linear planks are also available

OPTIONS:

- Acoustical fleece (black) or **Sound Quality Theater Board** can be added upon request.



WALL MOUNT



DETAIL 1