

T
E
T
R
I
X

A
I
R



TETRIX AIR™ | PET Polyester Acoustical Panel

Various sized shapes and various depths of the panels allow you to personalize your space and design. These panels have a patent-pending secret access compartment in the front that allows for easy and accurate installation.



POLY-COUSTIX™
BY SOUND SEAL

TETRIX AIR™

FEATURES:

- Quick and Easy Installation with Hidden Access Panel
- Acoustical Felt
- Core designed with Air Cavity for Maximum Sound Absorption
- Choice of 35 Colors
- Multiple Size Configurations


SPECIFICATIONS

Panel Sizes:	10-1/2" x 10-1/2" 21" x 10-1/2" 21" x 21" 42" x 21" 42" x 42"
Thickness Options:	27mm, 36mm
Weight:	27mm: .30 lbs/SF, 36mm: .41 lbs/SF
Fire Rating:	Class A per ASTM E-84

ACOUSTICAL DATA

Frequency (Hz)	125	250	500	1000	2000	4000	NRC
27mm Thickness	.06	.12	.28	.61	.91	.99	.50

Tested as Type "A" Mounting



POLY-COUSTIX™
BY SOUND SEAL

TETRIX AIR™ | PET Polyester Acoustical Panel

FINISHES




07
White



44
Ivory



42
Cream



52
Latte



02
Taupe



53
Smoke Beige




09
Deep Blue



21
Indigo Blue




19
Denim



56
Azure



30
Blue



18
Arctic Ice



54
Espresso



49
Brunette



35
Speckled Earth




43
Lava




36
Berry Red



45
Big Red




55
Tangerine




41
Marigold




50
Caramel



51
Sunkist Orange




22
Yellow




10
True Black



17
Dark Gray




11
Steel



34
Pure Gray




06
City Brown




03
Light Gray




47
Emerald




05
Dark Green



12
Moss



39
Green Apple



48
Avocado



08
Eggplant

TETRIX AIR™

COMPOSITION:

- 100% Polyethylene Terephthalate (PET)
- 55% recycled content

ENVIRONMENTAL FACTORS:

- 100% recyclable
- Low VOC Emissions
- ASTM - D5116
- LEED - MRc4

